



TECHNICAL CATALOG

STEEL SUPPORTED FACADE SYSTEM- FACE CAP



Mullion and Transom width size: 65 mm











The maximum height of the mullion: 172.5 mm











The minimum height of the mullion: 102.5 mm

The maximum height of the transom: 178.5 mm

The minimum height of the transom: 64.5 mm

GW65

Shape	Codee	Description
	CW03	inner glazing gasket - 3mm 54 g/m
	CW04	inner glazing gasket - 4mm 62 g/m
	CW05	inner glazing gasket - 5mm 82 g/m
	CW06	inner glazing gasket - 6mm 92 g/m
	CW07	inner glazing gasket - 7mm 102 g/m
	CW08	inner glazing gasket - 8mm 106 g/m
	CW09	inner glazing gasket - 9mm 121 g/m
	CW10	inner glazing gasket - 10mm 128 g/m
	CW11	inner glazing gasket - 11mm 136 g/m
	CW12	inner glazing gasket - 12mm 144 g/m

Shape	Codee	Description
	CW13	inner glazing gasket - 13mm 149 g/m
	CW40	pressure plate gasket - 4mm 92 g/m
	CW41	pressure plate gasket - 5mm 95 g/m
	PW40	central EPDM gasket - 5.5mm 72 g/m
	PW41	central EPDM gasket - 7mm 85 g/m
	PW51	central EPDM gasket - 9mm 99 g/m
	CW617	mullion gasket 114 g/m
	CW627	pressure plate gasket 75 g/m
	CW624	frame gasket 61 g/m
	CW623	glazing gasket inside 29 g/m

CW65
FACE CAP

CW65
STRUCTURAL GLAZING









CW50
FACE CAP











CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

Shape	Codee	Description
	CW628	frame gasket 146 g/m
	CW55	sash gasket 53 g/m
	CW59	sash gasket
	CW57	sash gasket 49 g/m
	CW189	gaskets for clamping profile 21932 38 g/m
	CW616	silicone filling gasket 123 g/m
	CW618	silicone filling gasket 200 g/m
	CW629	frame gasket 93 g/m
	300-15	glass suport gasket 66 g/m
	CW615	pvc U izalator
	NP028	mullion or transom front izalator

Shape	Codee	Description
	NP094	mullion or transom front izalator
	NP021	mullion or transom front izalator
	NP121	mullion or transom front izalator
	NP095	mullion or transom front izalator
	NP902	mullion or transom front izalator
	NP086	mullion or transom front izalator
	NP207	mullion or transom front izalator
	NP278	mullion or transom front izalator
	NP139	mullion or transom front izalator
	NP140	mullion or transom front izalator

CW65
FACE CAP

CW65
STRUCTURAL GLAZING









CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

Shape	Codee	Description
	NP143	mullion or transom front izalator
	NP283	mullion or transom front izalator
	NP144	mullion or transom front izalator
	NP141	mullion or transom front izalator
	C7.8	corner cleat 2.645 kg/m
	C10.6	corner cleat 3.43 kg/m
	C12.6	corner cleat 4.02 kg/m
	C22.4	corner cleat 3.67 kg/m

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21922	1.41	7.36	20.62
21923	1.5	8.61	23.83
21925	0.33	-	-
21924	0.394	-	-




mullion profile



transom profile



covering profile



covering profile

scale 1:1

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21929	2.3	181	65
21930	1.28	37	34
21931	0.85	20.3	4.3

CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT




scale1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21934	0.25	-	-
21926	0.572	-	-
21202	0.32	-	-
21513	0.330	-	-
21512	0.4	-	-
21203	0.41	-	-




water isolation pr




pressure plate profile




glass support for 60mm transom



glass support profile




glass support profile




glass support profile

scale 1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
340558	0.325	-	-
340537	0.388	-	-
340538	0.432	-	-
21928	0.286	-	-
21927	0.359	-	-
340556	0.500	-	-

340558



cover profile

340537



cover profile

340538



cover profile

21928


cover profile

21927


cover profile


340556


pressure plate profile

scale 1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21201	0.750	-	-
21430	0.056	-	-
21980	0.165	-	-
21420	1.6	-	-

21201




60mm add on

21430




cover profile

21980



angular adapter profile

21420



cover profile

scale 1:1

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21419	1.1	-	-
21466	1.120	-	-

21419



cover profile

21466



cover profile

scale 1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21193	0.170	-	-
21194	0.217	-	-
21195	0.240	-	-
21209	0.300	-	-
21197	0.300	-	-
21196	0.260	-	-

21193



adapter profile

21194



adapter profile

21195



adapter profile

21209


adapter profile

21197


adapter profile

21196


adapter profile

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING




SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




scale 1:1

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21986	0.860	-	-
21985	1.140	-	-
21216	0.740	-	-



scale 1:1

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21304	1.910	-	-
21184	0.156	-	-
21186	0.176	-	-


CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT

scale 1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21982	0.370	-	-
21981	0.525	-	-
21983	0.310	-	-
21468	0.560	-	-
21401	0.165	-	-
21597	0.350	-	-




angular cover pr




angular pressure plate pr




corner adapter pr



90 deg pressure plate pr






glass support pr





sash profile

scale 1:1


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21477	1.500	-	-
21416	0.135	-	-
21191	0.240	-	-



CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21305	2.700	101.16	98.93
21390	0.280	-	-
21199	0.136	-	-

21305

21390



frame adapter pr

21199



bonding frame pr

CODE	WEIGHT(kg/m)	$I_x \text{ cm}^4$	$I_y \text{ cm}^4$
21403-21404	1.300	40.1	3.8
21290-21291	1.480	-	-

21403-21404



21290-21291



scale 1:1

profile	corner cleat	shape	cutting size
21403-21404	C12.6		56.5 mm 

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21402-21406	1.400	24.2	3.9
21406-21598	1.57	24.6	4.15

21402-21406



21406-21598




scale 1:1


profile	corner cleat	shape	cutting size	corner cleat	shape	cutting size
21402-21406	C12.6		38 mm 	C22.4		4.8 mm 
21406-21598	C12.6		38 mm 	C22.4		7.9 mm 

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21402-21405	1.360	24.2	3.7
21405-21598	1.500	24.5	3.9

21402-21405



21405-21598



scale 1:1

profile	corner cleat	shape	cutting size	corner cleat	shape	cutting size
21402-21405	C12.6		38 mm 	C22.4		4.8 mm 
21405-21598	C12.6		38 mm 	C22.4		7.9 mm 

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21207	0.930	-	-
21595	0.550	1.29	3.6

21207


uninsulated frame pr



21595


frame profile

scale 1:1

profile	corner cleat	shape	cutting size	corner cleat	shape	cutting size
21207	C12.6		33.4 mm 	C12.6		11.7 mm 
21595	C7.8		33 mm 	-	-	-

CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21600	1	4.2	9.78
21596	1.09	3.78	14.38



scale 1:1

profile	corner cleat	shape	cutting size	corner cleat	shape	cutting size
21600	C10.6		31.9 mm 	C10.6		13.2 mm 
21596	C10.6		31.9 mm 	C7.8		23.3 mm 

CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING




CW50
FACE CAP



CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT





Horizontal thermal break opening


CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT





horizontal thermal break opening with glazing bead


CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL


SKY LIGHT







horizontal normal opening







horizontal normal opening


CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP



CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP



CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT





horizontal parallel opening



CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT


SECTIONS

CW65 STEEL SUPPORTED FACADE SYSTEM- face cap





horizontal hinged opening



CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT


CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT





CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT



CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT



CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT





CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING






SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

SECTIONS

CW65 STEEL SUPPORTED FACADE SYSTEM- face cap



CW65
FACE CAP

CW65
STRUCTURAL GLAZING





CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT



CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING













HANDRAIL

SKY LIGHT








CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING













SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT

SECTIONS

CW65 STEEL SUPPORTED FACADE SYSTEM- face cap



Glass size and horizontal profile


CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW/50
FACE CAP


CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING


HANDRAIL


SKY LIGHT













TECHNICAL CATALOG

STEEL SUPPORTED FACADE SYSTEM - STRUCTURAL GLAZING




GW65


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21414	0.450	-	-
21415	0.470	-	-
21932	0.400	-	-
21480	0.310	-	-
21509	0.238	-	-
21425	0.268	-	-

21414



clamping profile

21415



clamping profile

21932



clamping profile

21480


clamping profile


21509


double glass bonding pr


21425


double glass bonding pr


CODE	WEIGHT(kg/m)	Ix cm ⁴	Iy cm ⁴
21394	0.375	-	-
21210	0.425	-	-
21200	0.120	-	-
21424	0.635	-	-




single glass bonding pr



composite panel adapter





double glass bonding pr




fixed frame assembling plug

scale 1:1

profile	corner cleat	shape	cutting size
21394	C12.6		9.7 mm 
21210	C12.6		9.7 mm 




Vertical fix





CW 618

optional



horizontal fix


CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP


CW50
STRUCTURAL GLAZING




SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT


CW65 STEEL SUPPORTED FACADE SYSTEM-STRUCTURAL GLAZING








Vertical fix
















CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING


HANDRAIL

SKY LIGHT









Steel sheet thickness: 3mm
Cut Size: 20mm

CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP





CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL





SKY LIGHT









CW65	FACE CAP
CW65	STRUCTURAL GLAZING
CW50	FACE CAP
CW50	STRUCTURAL GLAZING
SF-50T	SLIDING FOLDING
HANDRAIL	
SKY LIGHT	

CW65 STEEL SUPPORTED FACADE SYSTEM-STRUCTURAL GLAZING




CW65
FACE CAP

CW65
STRUCTURAL GLAZING




CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP





CW50
STRUCTURAL GLAZING





SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT







CW65
FACE CAP

CW65
STRUCTURAL GLAZING




CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT


CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP



CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING



HANDRAIL

SKY LIGHT




CW65
FACE CAP
STRUCTURAL GLAZING



CW50
FACE CAP
STRUCTURAL GLAZING
SF-50T
SLIDING FOLDING



HANDRAIL
SKY LIGHT



CW65
FACE CAP

CW65
STRUCTURAL GLAZING



CW50
FACE CAP

CW50
STRUCTURAL GLAZING



SF-50T
SLIDING FOLDING





HANDRAIL

SKY LIGHT



drainage and ventilation schema




CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT

SECTIONS

CW65 STEEL SUPPORTED FACADE SYSTEM-STRUCTURAL GLAZING



drainage



ventilation

CW65
FACE CAP

CW65
STRUCTURAL GLAZING


CW50
FACE CAP

CW50
STRUCTURAL GLAZING


SF-50T
SLIDING FOLDING

HANDRAIL


SKY LIGHT






drainage



ventilation




CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

CW65
FACE CAP

CW65
STRUCTURAL GLAZING



CW50
FACE CAP


CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT




CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW/50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

CW65
FACE CAP

CW65
STRUCTURAL GLAZING

CW50
FACE CAP

CW50
STRUCTURAL GLAZING

SF-50T
SLIDING FOLDING

HANDRAIL

SKY LIGHT

